Contents

Forewor	d	(v)
		` '
	ations	` '
Chapte	er – 1	
Intr	roduction	
1.1	Water Pollution	2
1.2	Air Pollution	2
1.3	Land Pollution	3
Chapte	er – 2	
Inte	rnational Environmental Laws	
2.0	Introduction Current Environmental Issues	7
2.1	Global Warming	7
2.2	Ozone Depletion	7
2.3	Loss of Natural Resources	8
2.4	Environmental Ethics	8
2.5	Environmental Sustainability Index (ESI)	8
2.6	International Environmental Law	11
	2.6.1 Biodiversity	11
	2.6.2 Atmosphere	11
	2.6.3 Pollution/Hazardous substances	12
Refe	rences	23
Chapte	er - 3	
Nati	ional Environmental Laws	
3.1	Introduction	24

(xii) Contents

3.2	Nation	nal Environmental Policy (NEP) 2006	25
3.3		onmental Regulations and Legal Framework in India	
3.4		ation for Environmental Protection in India	
J	3.4.1	Water	
	3.4.2	Air	
	3.4.3	Forests and Wildlife	
	3.4.4	Environment (Protection) Act, 1986 (EPA)	30
	3.4.5	Hazardous Wastes	
	3.4.6	Factories Act, 1948 and its Amendment in 1987	33
	3.4.7	Public Liability Insurance Act (PLIA), 1991	33
	3.4.8	National Environment Tribunal Act, 1995	33
	3.4.9	The Electricity Act, 2003	34
3.5	Interna	ational Agreements on Environmental Issues	34
3.6	Role o	of Judiciary	39
	3.6.1	Public Trust Doctrine	40
	3.6.2	Precautionary Principle	40
	3.6.3	Polluter Pays Principle	40
	3.6.4	Absolute Liability Principle	41
	3.6.5	Sustainable Development	41
	3.6.6	Protection of Coast Line of India	41
3.7	Power	of Central Government	42
	3.7.1	To take Measures to Protect and Improve Environment	42
	3.7.2	Prevention, Control and Abatement of Environmental Pollution	43
Refe	rences		44
Chapte	er – 4		
Life	Cvcle	e Assessment	
4.1	•	uction	45
4.2		s in Life Cycle Assessment	
4.3	_	nts of Life Cycle Assessment	
		-	
4.4	i ne Li	ife Cycle of Industrial Products	33

		()
4.5	The LCA Framework	5.1
4.3	4.5.1 Data Collection	
	4.5.2 Life Cycle Inventory (LCI)	
	4.5.3 LAC Impact Analysis	
	4.5.4 Interpretation	
4.6	Streamlined Life Cycle Assessment	60
	4.6.1 Battelle's Pollution Prevention Factors Approach	61
	4.6.2 Jacobs Engineering's SLCA Approach	61
	4.6.3 Matrix Calculations	62
4.7	Stages in Process Life Cycles	63
Refe	rences	65
Chapte	er-5	
Env	ironmental Impact Assessment	
5.1	Introduction	67
5.2	Environmental Impact Assessment in India	69
	5.2.1 Screening	76
	5.2.2 Scoping	76
	5.2.3 Public Consultation	76
	5.2.4 Appraisal	77
5.3	Generic Structure of Environmental Impact Assessment Document	77
5.4	Terms of Reference (TOR)	78
5.5	Validity of Environmental Clearance	
5.6	Post Environmental Clearance Monitoring	78
5.7	Transferability of Environmental Clearance	78
5.8	Project Description	79
5.9	Baseline Data Analysis	79
	5.9.1 Land Environment	80
	5.9.2 Water Environment	81
	5.9.3 Air Environment	
	5.9.4 Noise Environment	
	5.9.5 Biological Environment	
	5.9.6 Socio-economic and Occupational Health	88

(xiv)	Contents

5.10	Anticipated Impacts and Mitigation Measures	89
5.11	Environmental Monitoring Program	92
5.12	Risk Analysis and Disaster Management Plan	93
5.13	Environmental Management Plan	93
Refere	ences	93
Chapte	er – 6	
_	ironmental Audit	
6.1	Introduction	95
6.2	Definition of Environmental Audit	
6.3	Principle Elements of an Environmental Audit	
6.4	Components of Auditing	
6.5	Audit Process	
6.6	Environmental Audit (EA) Report	
6.7	Waste Audit	
6.8	Example of Audit Municipal Solid Waste Management	115
Refe	rences	
Chapte	r = 7	
_	ironmental Accounting	
7.1	Introduction	122
7.1	Forms of Environmental Accounting	
7.2	Need of Environmental Accounting at Corporate Level	
7.3	Scope of Environment Accounting	
7.5	Valuation Methods	
7.3	7.5.1 Market Valuation of Natural Resources	
	7.5.2 Maintenance Valuation of Environmental Assets	
	7.5.3 Contingent Valuation of Environmental Services	
	7.5.4 Environmentally Adjusted Economic Aggregates	133
7.6	Compilation of Physical Natural Resource Accounts	134
7.7	Example for Forest Accounts	136
Refe	rences	139

Contents (xv)

Chapte	er – 8		
Env	ironm	ental Risk Assessment	
8.1	Introdu	action	141
8.2	Use of	Risk Assessment in Environmental Management	141
8.3	Hazard	l and Risk	142
8.4		s of Environmental Risk Assessment and Management	
8.5		valuation	
8.6		on and Exposure Control	
8.7		Ionitoring	
8.8		ommunication	
8.9		g with Uncertainty	
8.10		nentation	
8.11		tages and Disadvantages of Risk Assessment	
8.12		f GIS Software Applications for ERM	
,			
Chapte	er – 9		
Ene	rgy M	anagement and Audit	
9.1	Introdu	uction	160
9.2	Types	of Energy Audit	161
9.3		ep Methodology for Energy Audit	
9.4		Phases	
	9.4.1	Phase I -Pre Audit Phase Activities	164
	9.4.2	Phase II- Detailed Energy Audit Activities	164
	9.4.3	Process Flow Diagram and List Process Steps;	
	0.4.4	Identify Waste Streams and Obvious Energy Wastage	
	9.4.4	Identification of Energy Conservation Opportunities	
9.5		ication of Energy Conservation Measures	
9.6	0,	Audit Reporting Format	
	9.6.1	Fuel Costs	
	9.6.2	Power Costs	1 / 1

(xvi)	Contents

9.7	Plant Energy Performance.	172
9.8	Energy Audit Instruments	174
9.9	Calculating Energy and Demand Balances	175
9.10	Energy Audit for Buildings	176
Refere	ences	181
Chanta	10	
Chapte		
ISO	9000, 14000 Series and OHSAS 18001	
10.1	Introduction	182
10.2	EMS Certification	183
10.3	Emerging Trends in Management of Environmental Issues	184
	10.3.1 Life Cycle Assessment (LCA)	184
	10.3.2 Environmental Impact Assessment (EIA)	184
	10.3.3 Global Compact	
	10.3.4 Triple Bottom Line (TBL)	185
10.4	ISO 14000 Series	185
10.5	Guidelines for Auditing	200
10.6	Types of Audits	200
10.7	Risk Audit Techniques	206
10.8	Status of EMS in India	207
10.9	OHSAS 18001 Standard	209
Refere	ences	212
Chapte	or _ 11	
•		
wat	er Treatment Technologies	
11.1	Introduction	
11.2	Water Pollution	
	11.2.1 Surface Water Pollution	
	11.2.2 Groundwater Pollution	
11.3	Water Quality Management	218

Contents	(xvii)
Contents	(AVII

	11.4		210
	11.4	Treatment Technologies	
		11.4.1 Sedimentation	
		11.4.2 Clariflocculators	
		11.4.4 Disinfection by Boiling and Chlorination	
		11.4.5 Defluoridation	
		11.4.6 Precipitation Softening	
	11.5	Drinking Water Quality Monitoring	
	11.5	11.5.1 Microbiological Quality of Drinking Water	
		11.5.2 Chemical Quality of Drinking Water	
		11.5.3 Water Quality Index (WQI)	
	11.6	Removal of Dissolved Salts - Desalination Technologies	
	11.7	Dual Water Distribution	
	11.8	Sources of Wastes in Water Treatment	
(-	er – 12 stewater Treatment Technologies	
	12.1	Introduction	251
	12.2	Collection of Wastes	251
	12.3	Sources and Types of Wastewater	252
	12.4	Composition of Wastewater	
	12.5	Classification of Treatment Processes	
		12.5.1 Physical Methods of Treatment	
		12.5.2 Chemical Methods of Treatment	
		12.5.3 Biological Methods of Treatment	258
	12.6	Process Details	259
		12.6.1 Preliminary Treatment	
		12.6.2 Primary Treatment	263
		12.6.3 Secondary Treatment	269
		12.6.4 Chlorination	282
	12.7	Sludge Treatment	282

(xviii)		Contents
12.8	Disinfection of Wastewater	285
12.9	Tertiary and Advanced Wastewater Treatment	286
Refere	nces	
Chapte	er – 13	
Indu	strial Wastewater Treatment Technologies	
13.1	Introduction	294
13.2	Treatment of Industrial Wastes	295
13.3	Membrane Separation	304
13.4	Chemical Oxidation	
13.5	Adsorption	308
13.6	Ion Exchange	312
13.7	Air and Steam Stripping	314
13.8	Pervaporation	316
13.9	Solvent Extraction	316
13.10	Gaseous Emissions from Industrial Waste Waters with Specific Reference to GHGs	317
13.11	Waste Minimization and Clean Technologies	
	13.11.1 In-plant Survey	
	13.11.2 Flow Measurement	
	13.11.3 Flow Rate Measurement in Closed Systems	325
	13.11.4 Waste Volume and Strength Reduction	326
13.12	Performing a Waste/Effluent Minimisation Assessment	328
13.13	Clean Technologies	331
	13.13.1 Cleaner Technology	331
	13.13.2 Remediation	331
	ces	334

Contents	(xix)

Contents			(xix)
14.2		ation of Air Pollutants, their Sources of	
		and Air Quality Standards	
	14.2.1	Classification	
	14.2.2	Sources of Emission of Air Pollutants	
14.3		ntants and their Harmful Effects	339
14.4		ttion Dispersions – ture Lapse Rates and Stability	348
	14.4.1	Stability and Instability	
	14.4.2	Adiabatic Changes	
	14.4.3	Determining Air Parcel Temperature: Rising Air Parcels and Adiabatic Cooling	352
	14.4.4	Conditions of Various Atmospheric Stability and Air Pollution.	
14.5	Tempera	ture Lapse Rates	
14.6	_	ture Inversion	
14.7	•	haracteristics and Plume Behaviour	
14.8	Gaussian	Plume Model	363
14.9	Air Pollu	tion Control Technologies	366
	14.9.1	Particulate Control Equipment	366
14.10	Methods	of Control of Emissions from Point Sources	
		es of Sulphur, Nitrogen, Carbon	
Referen	ices		395
Chapte	er – 15		
Noise	e Pollut	ion	
15.1	Introduct	tion	396
15.2	Sources	of Noise	396
15.3	Effects of Noise Pollution 397		
15.4	Effects on Health		
15.5	Industrial Noise 404		
15.6	Noise So	ource from Transportation Sector	406
15.7		se Pollution (Regulation and Control)	407

(xx)	Contents

15.8	General Noise Control	410
	15.8.1 Source path Receiver Concept	
	15.8.2 Control of Noise Source by Design	
	15.8.3 Noise Control in the Transmission Path	413
15.9	Control of Noise from Industry	416
15.10	Control of Noise from Transportation	418
15.11	Comparison of Air and Noise Pollution	423
Referen	1ces	423
Chapte	er – 16	
Solid	l Waste Management	
16.1	Introduction	424
16.2	Solid Waste and its Composition	425
16.3	Typical Issues in Solid Waste Management	427
	16.3.1 MSW in India	
	16.3.2 Institutional Framework in India	
	16.3.3 Site Sensitivity Index	
16.4	Steps in Solid Waste Management	434
16.5	Methods of Waste Disposal	437
16.6	Green Productivity of Solid Waste	454
Refere	ences	455
Chapte	er – 17	
Haza	rdous Waste Management	
17.1	Introduction	456
17.2	Definition of Hazardous Waste	456
17.3	Effect on Health	462
17.4	Sampling and Analysis of Hazardous Waste	463
17.5	Treatment, Storage, and Disposal Facilities (TSDF)	464
17.6	Creation of TSD Facility	467
	17.6.1 Storage Facilities	468

Contents	(xxi)
----------	-------

	17.6.2 Stabilization Unit	468
	17.6.3 Landfill	474
	17.6.4 Leachate Treatment Facility	475
	17.6.5 Incineration	
	17.6.6 On Site Infrastructure	475
17.7	Design of Landfill	476
17.8	Operation	480
17.9	Post Monitoring	481
17.10	Safety and Occupation Hygiene	482
Refere	nces	486
Chapte	or 10	
•		T
Meth	ods of Analysis for Water, Wastewater, Soil and	d Air
18.1	Introduction	487
18.2	Statistical Approach	487
18.3	Instrumental Methods of Analysis	491
18.4	Water Quality Analysis	494
18.5	Physical and Chemical Examination of Wastewater, Treatment Plant Effluents, and Polluted Waters	522
18.6	Examination of Industrial Wastewaters	531
18.7	Examination of Sludge and Bottom Sediments in Wastewater Treatment Process and in Polluted Rivers, Lakes, and Estuaries	534
18.8	Bacteriologic Examinations of Water to Determine its Sanitary Quality	534
18.9	Soil Quality Assessment	540
18.10	Air Quality Assessment	543
18.11	Biological Assessment	551
18.12	Quality of the Results and Presentation	554
Referen	ices	
-	: - 1: International Environmental Law	
	: - 2:	

(xxii)	Contents

Appendix - 3:	563
Appendix - 4 :	566
Appendix - 5 :	570
Bibliography	573
Index	

CHAPTER 1

Introduction

Environmental pollution is one of the most serious problems facing humanity and other life forms on our planet today. Environmental pollution is defined as "the contamination of the physical and biological components of the earth/atmosphere system to such an extent that normal environmental processes are adversely affected". Pollutants can be naturally occurring substances or energies, but are considered contaminants when in excess of natural levels. Any use of natural resources at a rate higher than nature's capacity to restore itself can result in pollution of air, water and land.

Generally, environmental pollution takes place when the environment cannot process and neutralize harmful by-products of human activities in due course without any structural or functional damage to its system. Although pollution had been known to exist since life began, it had seen the growth of truly global proportions only since the onset of the industrial revolution during the 19th century. Environmental pollution is a problem not only in the developed country but also in developing countries. Factors such as population growth, technological advancement and urbanization invariably place greater demands on the planet and stretch the use of natural resources to the maximum.

Pollution is something that we face on an everyday basis; probably this is something we may even be immune in our fast paced lives. There are three major types of environmental pollution: air, water and land pollution. Air pollution and noise pollution are increasing at an alarming rate today. Air pollution occurs with the addition of harmful chemicals into the earth's atmosphere. The main pollutants that cause air pollution are carbon monoxide, CFCs, nitrogen oxides and sulfur dioxide. Water pollution is caused when wastes are released into the water that contaminates it. Soil can even be contaminated due to various domestic and industrial activities. Noise pollution is also a current environmental issue that causes harm in various ways.

1.1 Water Pollution

Water pollutants include contamination due to domestic wastes, insecticides and herbicides, food processing waste, pollutants from livestock operations, volatile organic compounds (VOCs), heavy metals, chemical waste and others. Waterborne diseases caused by polluted drinking water include Typhoid, Amoebiasis, Giardiasis, Ascariasis, Hookworm etc. Waterborne diseases caused by polluted beach water are rashes, ear ache, pink eye, respiratory infections, hepatitis, encephalitis, gastroenteritis, diarrhoea, vomiting, and stomach aches etc.

When water is contaminated with chemicals such as pesticides, hydrocarbons, persistent organic pollutants, heavy metals etc it could lead to cancer, including prostate cancer and non-Hodgkin's lymphoma, hormonal problems that can disrupt reproductive and developmental processes, damage to the nervous system, liver and kidney damage, and damage to the DNA. Specifically mercury in water can cause abnormal behavior, slower growth and development, reduced reproduction, and death.

Nutrient pollution (nitrogen, phosphates etc) causes overgrowth of toxic algae eaten by other aquatic animals, and may cause death; it can also cause outbreaks of fish diseases. Chemical contamination is known to cause decline in frog biodiversity and tadpole mass. Oil pollution can negatively affect development of marine organisms, increase susceptibility to disease and affect reproductive processes; can also cause gastrointestinal irritation, liver and kidney damage, and damage to the nervous system.

Water Pollution may disrupt photosynthesis in aquatic plants and thus affecting ecosystems that depend on these plants. Terrestrial and aquatic plants may absorb pollutants from water (as their main nutrient source) and pass them up the food chain to consumer animals and humans. Plants may be affected due to large concentrations of sodium chloride in water. They may also be affected by herbicides in water.

Wastewater from domestic sector is another major contributor to water contamination and subsequent related water borne diseases. The methodologies for treating potable water are discussed in Chapter 11 and those for treatment of domestic and industrial waste waters are discussed in Chapters 12 and 13.

1.2 Air Pollution

Some of the most important air pollutants are sulfur dioxide, nitrogen dioxide, carbon monoxide, ozone, Volatile Organic Compounds (VOCs) and airborne particles, with radioactive pollutants. Combustion of fossil fuels produces extremely high levels of air pollution and is one of the main areas, which is now in focus for control.

The general impacts or effects of air pollution on humans include reduced lung functioning, irritation of eyes, nose, mouth and throat, asthma attacks, respiratory symptoms such as coughing and wheezing, increased respiratory disease such as bronchitis, reduced energy levels, headaches and dizziness, disruption of endocrine,

reproductive and immune systems neurobehavioral disorders, cardiovascular problems and can sometimes even lead to cancer and premature death.

Impact of acid rain destroys fish life in lakes and streams. Acid rain can kill trees, destroy the leaves of plants, can infiltrate soil by making it unsuitable for purposes of nutrition and habitation.

Excessive ultraviolet radiation coming from the sun through the ozone layer in the upper atmosphere which is eroded by some air pollutants may cause skin cancer in wildlife. Ozone in the lower atmosphere may damage lung tissues of animals. Ozone holes in the upper atmosphere can allow excessive ultraviolet radiation from the sun to enter the Earth causing damage to trees and plants. Ozone in the lower atmosphere can prevent plant respiration by blocking stomata (openings in leaves) and negatively affecting plants' photosynthesis rates which will stunt plant growth; ozone can also decay plant cells directly by entering stomata. The details of the technologies that are used to control air pollution in discussed in Chapter 14 of this book.

1.3 Land Pollution

Soil pollution is due to contamination from industrial and domestic pollutants. Some common soil pollutants are hydrocarbons, solvents and heavy metals. Fossil fuels also contribute to soil contamination and water pollution. Common sources of fossil fuel pollution include power-generating plants, petroleum refineries, petrochemical plants, production and distribution of fossil fuels, road transport (motor vehicles), shipping and aircraft industry.

Heavy metal contamination in soil is being frequently observed in both developed and developing countries. Lead in soil is especially hazardous for young children causing developmental damage to the brain, high levels of mercury can increase the risk of kidney damage; cyclodienes can lead to liver toxicity and cause problems related to depression of the central nervous system, and also cause headaches, nausea, fatigue, eye irritation and skin rash etc.

Domestic sector is another significant source of pollution generating municipal solid waste that may end up in landfills or incinerators leading to soil contamination and air pollution. Soil contamination may alter plant metabolism and reduce crop yields. Trees and plants may absorb soil contaminants and pass them up the food chain.

Environmental Problems in India

The environmental problems in India are growing rapidly. The increasing economic development and a rapidly growing population that has taken the country from 300 million people in 1947 to more than one billion people today is putting a strain on the environment, infrastructure, and the country's natural resources. Industrial pollution, soil erosion, deforestation, rapid industrialization, urbanization, and land degradation are all worsening problems. Overexploitation of the country's natural resources (land or water)

and the industrialization process has resulted in environmental degradation of these resources.

India's per capita carbon dioxide emissions were roughly 3,000 pounds (1,360 kilograms) in 2007. That's small compared to China and the U.S., with 10,500 pounds (4,763 kilograms) and 42,500 pounds (19,278 kilograms) respectively that year. To address the issues related to pollution, Central Pollution Control Board has done a nation- wide environmental assessment of Industrial Clusters based on CEPI and 43 such industrial clusters having CEPI greater than 70, on a scale of 0 to 100, has been identified as critically polluted.

The World Health Organization (WHO) estimates that about two million people die prematurely every year as a result of air pollution, while many more suffer from breathing ailments, heart disease, lung infections and even cancer. Fine particles or microscopic dust from coal or wood fires and unfiltered diesel engines are rated as one of the most lethal forms of air pollution caused by industry, transport, household heating, cooking and ageing coal or oil-fired power stations. There are four reasons of air pollution are - emissions from vehicles, thermal power plants, industries and refineries. The problem of indoor air pollution in rural areas and urban slums has increased.

Bhopal gas tragedy was the greatest industrial disaster in the world that took place at a Union Carbide pesticide plant in the Indian city of Bhopal, Madhya Pradesh. At midnight on 3 December 1984, the plant accidentally released methyl isocyanate (MIC) gas, exposing more than 500,000 people to MIC and other chemicals. The first official immediate death toll was 2,259. The government of Madhya Pradesh has confirmed a total of 3,787 deaths related to the gas release. Others estimate 8,000-10,000 died within 72 hours and 25,000 have since died from gas-related diseases, making it the deadliest man-made environmental disaster in history. Another important decision was when the impact of air pollution from neighboring industries on the monument of Taj Mahal was evident. In the "Taj Mahal Case" Supreme Court ordered closure of more than 200 industries. Another latest example of industrial pollution is the leak of chlorine gas in Mumbai. On July 14, 2010 nearly 76 people were treated in hospital on after chlorine gas leak from an industrial area in Mumbai.

Vehicle emissions are responsible for 70% of the country's air pollution. The major problem with government efforts to safeguard the environment has been enforcement at the local level, not with a lack of laws. Exhaust from vehicles has increased eight-fold over levels of twenty years ago; industrial pollution has risen four times over the same period. Recent studies estimate that 10 per cent of Bangalore's 60 lakh population and over 50 per cent of its children below 18 years suffer from air pollution-related ailments. In Chennai a study in 2009, has shown that exhaust from vehicles, dust from construction debris, industrial waste, burning of municipal and garden waste are all on the rise in the city. So are respiratory diseases, including asthma. At least six of the 10 top causes of death are related to respiratory disease.

Studies conducted by the high altitude zoology field station of the Zoological Survey of India (ZSI) based in Solan town of Himachal Pradesh have recorded a drastic fall in butterfly numbers in the western Himalayas. The population of 50 percent of the 288 species recorded in the western Himalayas, comprising areas of Himachal Pradesh and Jammu and Kashmir, has declined more than half in just 10 years. With pollution level rising across the country, in 2009 the Ministry of environment and forests has revised the national ambient air quality standards after 15 years.

80 percent of urban waste in India ends up in the country's rivers due to unchecked urban growth across the country. A growing number of bodies of water in India are unfit for human use, and the River Ganga, is dying slowly due to unchecked pollution. Studies have shown that three billion liters of waste are pumped into Delhi's Yamuna River each day. Only 55 percent of the 15 million Delhi residents are connected to the city's sewage system. The remainder of the population flushes their bath water, waste water and just about everything else down pipes and into drains, most of them empty into the Yamuna. This is true of all major cities and towns across the country. Groundwater exploitation is a serious matter of concern today. Studies have shown that consumption of groundwater containing alarming levels of arsenic during pregnancy can lead to blindness among newborn infants. Cases have been reported of loss of sight when consumption of ground waters having high arsenic concentrations.

India's urban population slated to increase from the current 330 million to about 600 million by 2030, the challenge of managing municipal solid waste (MSW) in an environmentally and economically sustainable manner is bound to assume gigantic proportions. The country has over 5,000 cities and towns, which generate about 40 million tonnes of MSW per year today. Plastic bags, plastic thin sheets and plastic waste are also a major source of pollution. New regulations are being proposed to handle the plastic wastes generated in the country. Cities in India spend approximately 20% of the city budget on solid waste services.

E-waste produced in India includes over 100,000 tonnes from refrigerators, 275,000 tonnes from TVs, 56,300 tonnes from personal computers, 4,700 tonnes from printers and 1,700 tonnes from mobile phones. About 3,80,000 tonnes of E-waste was produced in 2007, which includes only the waste generated out of television sets, mobile phones and PCs, a major chunk of which comes from organizations. The un-organized recycling sector, which fails to practice eco-friendly E-waste recycling methods release large amount of toxic chemicals. In addition India imports almost 50,000 tonnes of e-waste yearly.

Pollution due to biomedical waste is likely to spread disease dangerous to life and making atmosphere noxious to health. In early April, 2010 a machine from Delhi University containing cobalt-60, a radioactive metal used for radiotherapy in hospitals, ended up in a scrap yard in the city. The death from radiation poisoning of a scrap yard worker in Delhi has highlighted the lax enforcement of waste disposal laws in India.

Two merchant vessels MSC Chitra and Khalijia-III collided off the Mumbai coast on August 7, 2010 causing an oil spill. Several containers from one of the vessels fell into the sea. Nearly 100 containers that fell into the waters following the collision between two merchant vessels off the Mumbai coast are still missing and are carrying hazardous chemicals.

Green House Gas Emissions

India emits the fifth most carbon of any country in the world. At 253 million metric tons, only the U.S., China, Russia, and Japan surpassed its level of carbon emissions in 1998. Carbon emissions have grown nine-fold over the past forty years. In this industrial age, with the ever-expanding consumption of hydrocarbon fuels and the resultant increase in carbon dioxide emissions, that greenhouse gas concentration have reached levels causing climate change. Going forward, carbon emissions are forecast to grow 3.2% per annum until 2020. To put this in perspective, carbon emissions levels are estimated to increase by 3.9% for China and by 1.3% for the United States. India is a non-Annex I country under the United Nations Framework Convention on Green house gases and Climate Change, and as such, is not required to reduce its carbon emissions. An historical summary of carbon dioxide (CO₂) emissions from fossil fuel use in India is increasing rapidly and causes global warming. A dedicated satellite is to be launched by Indian Space Research Organisation (ISRO) by 2012 to monitor India's greenhouse gas emission. The objective is to study the impact of climate change, fallout of greenhouse gas emissions on the environment by monitoring it through satellite technology.

Environmental Management

In view of the above it is necessary to adopt methods to conserve the environment and reduce pollution to the natural systems. Environmental planning and management are strategic challenges confronting businesses in the 21st century. The focus of this book is on Environmental Management to address the issues related to pollution, discuss the legal position across the globe and in the country, to help the reader plan and manage the environmental pollution related problems in a more efficient manner. The book also discusses the technological solutions available for air, water and hazardous waste management.