

Contents

CHAPTER 1

D.C. CIRCUIT CONCEPTS AND CIRCUIT ELEMENTS

D.C. CIRCUIT CONCEPTS AND CIRCUIT ELEMENTS - I

| | | |
|------------|---|-----------|
| 1.1 | Introduction to basics of Electrical Engineering | 1 |
| 1.1.1 | Circuit Concepts - Concepts of Networks | 1 |
| 1.2 | Current Flow | 2 |
| 1.2.1 | Potential and Potential Difference | 2 |
| 1.2.2 | Electric Current | 3 |
| 1.3 | Active and Passive Elements | 4 |
| 1.3.1 | Sources of Electrical Energy - Voltage Source | 4 |
| 1.3.2 | Sources of Electrical Energy - Current Source | 5 |
| 1.3.3 | D.C. & A.C. Sources | 6 |
| 1.3.4 | Unilateral and Bilateral Elements | 8 |
| 1.3.5 | Effect of Temperature on Resistance | 11 |
| 1.3.6 | Electrical Conductance | 12 |
| 1.4 | V-I Relationship for Resistance–Ohm’s Law | 13 |
| 1.4.1 | Linear & Non-Linear Resistances | 15 |

| | | |
|-------------|--|-----------|
| 1.5 | Electrical Power | 16 |
| 1.6 | Energy Calculations | 18 |
| 1.7 | Electrical Energy | 18 |
| 1.8 | Kirchoff's Laws | 19 |
| 1.8.1 | Kirchoff's Voltage Law (KVL) | 19 |
| 1.8.2 | Kirchoff's Current Law (KCL or KIL) | 20 |
| 1.9 | Resistances in Series | 25 |
| 1.10 | Resistances in Parallel | 29 |
| 1.10.1 | Division of Currents in Parallel Circuits | 31 |
| 1.11 | Series-Parallel Resistances | 35 |
| 1.12 | Resistances in Star or Delta Connections | 40 |
| 1.12.1 | The Equivalent Star Resistances for given Delta Connected Resistances | 40 |
| 1.12.2 | The Equivalent Delta Resistances for given Star Connected Resistances | 42 |
| 1.13 | Uses of Resistance | 48 |

D.C. CIRCUIT CONCEPTS AND CIRCUIT ELEMENTS - II

| | | |
|-------------|---|-----------|
| 1.14 | Introduction to Energy Storing Elements | 49 |
| 1.15 | Capacitance Parameter | 49 |
| 1.15.1 | V-I Relationship for Capacitor–The Current Flowing through a Capacitor | 51 |
| 1.15.2 | Energy Stored in a Charged Capacitance | 53 |
| 1.15.3 | Parallel Plate Capacitor with Guard Ring | 58 |
| 1.15.4 | Capacitances in Series or Series Capacitors | 58 |
| 1.15.5 | Capacitances in Parallel or Parallel Capacitors | 64 |
| 1.15.6 | Capacitances in Series-Parallel | 68 |
| 1.15.7 | Dielectric Strength and Breakdown | 70 |
| 1.15.8 | Electrostatic Induction | 71 |
| 1.15.9 | Uses of Capacitors | 71 |

| | |
|--|------------|
| 1.16 Inductance | 71 |
| 1.16.1 Magnetic Field of a Solenoid | 72 |
| 1.16.2 Self Inductance of a Coil | 74 |
| 1.16.3 Voltage Drop across the Inductance | 77 |
| 1.16.4 Energy Stored in an Inductor or Coil or Inductance | 78 |
| 1.16.5 Inductances in Series or Series Inductors without Mutual Induction | 82 |
| 1.16.6 Inductances in Parallel or Parallel Inductors without Mutual Induction .. | 83 |
| 1.16.7 Inductances in Series-Parallel without Mutual Induction | 84 |
| 1.16.8 Mutual Induction between Coils | 85 |
| 1.16.9 Dot Convention for Mutual Inductances | 88 |
| 1.16.10 Expression for Mutual Inductance M in Terms of Dimensions of Two Coils | 91 |
| 1.16.11 Coefficient of Magnetic Coupling or Magnetic Coupling between two Coils | 91 |
| 1.16.12 Variable Inductance | 95 |
| 1.16.13 Magnetic Hum | 95 |
| 1.17 Uses of Inductors | 95 |
| Comprehension - 1 | 97 |
| Exercise - 1 | 103 |

CHAPTER 2

D.C. CIRCUIT ANALYSIS

| | |
|---|------------|
| 2.1 Introduction | 113 |
| 2.1.1 Controlled or Dependent Voltage and Current Sources | 114 |
| 2.1.2 Controlled Source or Dependent Source | 114 |
| 2.1.3 Controlled Voltage Source | 114 |
| 2.1.4 Controlled Current Source | 115 |
| 2.1.5 Combination of Energy Sources | 116 |
| 2.1.6 Voltage Sources in Series | 116 |

| | | |
|------------|--|------------|
| 2.1.7 | Current Sources in Parallel | 116 |
| 2.1.8 | Voltage Sources in Parallel and Current Sources in Series & Parallel | 117 |
| 2.1.9 | Source Transformations | 118 |
| 2.1.10 | Source Shifting | 119 |
| 2.2 | Loop or Mesh Analysis and Nodal Analysis | 122 |
| 2.3 | Loop Analysis For D.C. Circuits | 122 |
| 2.3.1 | Redundant Elements | 123 |
| 2.3.2 | Identification of independent loops | 123 |
| 2.3.3 | Loop Analysis using Independent Voltage Sources | 124 |
| 2.3.4 | Loop Analysis using Independent Current Sources (Super Mesh) | 127 |
| 2.3.5 | Loop Analysis using Independent Voltage and Current Sources | 128 |
| 2.4 | Nodal Analysis | 131 |
| 2.4.1 | Identification of Independent Nodes | 132 |
| 2.5 | Nodal Analysis For D.C. Circuits | 133 |
| 2.5.1 | Nodal Analysis using Independent Current Sources | 133 |
| 2.5.2 | Nodal Analysis using Independent Voltage Sources (Super Nodes) | 135 |
| 2.5.3 | Nodal Analysis using Independent Voltage and Current Sources | 137 |
| 2.6 | Nodal Analysis with Dependent Sources | 144 |
| | Comprehension - 2 | 145 |
| | Exercise - 2 | 147 |

CHAPTER 3

FUNDAMENTALS OF ALTERNATING CURRENT

| | | |
|------------|--|------------|
| 3.1 | Introduction | 151 |
| 3.2 | Generation of Alternating Voltages & Currents | 151 |
| 3.2.1 | D.C. Waveform or Steady Waveform | 152 |
| 3.2.2 | A.C. Waveforms | 152 |
| 3.2.3 | Periodic and Aperiodic Waveforms | 153 |
| 3.2.4 | Sinusoidal Waveforms | 154 |
| 3.2.5 | Generation of Sinusoidal Waveforms | 156 |

| | | |
|------------|---|------------|
| 3.3 | Expression for the E.M.F. Generated by a Single Phase Alternator | 158 |
| 3.3.1 | Time Period (T)..... | 160 |
| 3.3.2 | Amplitude | 160 |
| 3.3.3 | Cycle | 160 |
| 3.3.4 | Frequency | 160 |
| 3.3.5 | Relation between Frequency and Time Period | 160 |
| 3.3.6 | Relation between Frequency and Angular Velocity | 161 |
| 3.3.7 | Relationship Between Frequency, Speed and Number of Pole Pairs | 161 |
| 3.3.8 | Average Value of an Alternating Current | 162 |
| 3.3.9 | Root Mean Square (RMS) Value of an Alternating Current | 165 |
| 3.3.10 | Form Factor and Peak Factor | 169 |
| 3.4 | Non-Sinusoidal Waveforms | 173 |
| 3.4.1 | R.M.S. & Average Values of Halfwave Rectifier Output | 173 |
| 3.4.2 | R.M.S. & Average Values of Fullwave Rectifier Output | 175 |
| 3.5 | Different Forms of Representing Alternating Quantities | 187 |
| 3.5.1 | Phasor Representation of an Alternating Quantity | 187 |
| 3.5.2 | Lagging/Leading Waveforms with Phase & Phase Difference | 190 |
| 3.5.3 | Rectangular Coordinates Representation | 191 |
| 3.5.3.1 | j-Operator | 191 |
| 3.5.3.2 | Phasor Represented in Rectangular Coordinate Components ... | 192 |
| 3.5.3.3 | Trigonometrical Form of Phasor Representation | 193 |
| 3.5.3.4 | Exponential Form of Phasor Representation | 194 |
| 3.5.3.5 | Polar Form of Phasor Representation | 194 |
| 3.6 | Arithmetic Operations of Phasors | 195 |
| 3.6.1 | Addition and Subtraction of Phasors | 195 |
| 3.6.2 | Multiplication and Division of Phasors | 196 |
| 3.6.3 | Power and Roots of Vectors | 197 |
| 3.6.3.1 | Powers | 197 |
| 3.6.3.2 | Roots | 197 |
| 3.6.4 | Conjugate of a Phasor and Rationalization | 198 |

| | |
|---|------------|
| 3.7 Instantaneous & Average Power in A.C. Circuits | 202 |
| 3.7.1 A.C. Circuit with Pure Resistance As Load | 203 |
| 3.7.2 A.C. Circuit with Pure Inductance as Load | 206 |
| 3.7.3 A.C. Circuit with Pure Capacitance as Load | 209 |
| Comprehension - 3 | 215 |
| Exercise - 3 | 217 |

CHAPTER 4

A.C. CIRCUITS

A.C. CIRCUITS - I - SINGLE PHASE CIRCUITS

| | |
|---|------------|
| 4.1 Introduction | 221 |
| 4.2 Power and Power Factor in Single Phase A.C. Circuits | 222 |
| 4.3 A.C. Series Circuits | 222 |
| 4.3.1 R-L Series Circuit with A.C. Supply | 222 |
| 4.3.2 Power Factor | 225 |
| 4.3.3 Voltage Drop Triangle | 226 |
| 4.3.4 Complex Power | 227 |
| 4.3.5 VA or KVA Triangle | 228 |
| 4.3.6 Wattfull and Wattless Component of Current | 229 |
| 4.3.7 R-C Series Circuit with A.C. Supply | 232 |
| 4.3.8 Power Factor | 235 |
| 4.3.9 Voltage Drop Triangle | 236 |
| 4.3.10 Complex Power | 236 |
| 4.3.11 VA or KVA Triangle | 237 |
| 4.3.12 Wattfull and Wattless Component of Current | 237 |
| 4.3.13 Admittance & Admittance Triangle | 239 |
| 4.3.14 R-L-C Series Circuit | 241 |
| 4.3.15 A.C. Series Circuit with Two or More Impedances | 243 |

| | | |
|-------------|---|------------|
| 4.4 | A.C. Parallel Circuits | 244 |
| | 4.4.1 A.C. Parallel Circuit with Two or More Impedances | 245 |
| 4.5 | A.C. Series-Parallel Circuit | 247 |
| 4.6 | A.C. Star-Delta Connected Circuits | 251 |
| 4.7. | Importance of Power Factor | 256 |
| 4.8 | Features and Uses of A.C. Single Phase Circuits | 256 |
| 4.9. | Single Phase Circuits with Variable Elements-Resonance | 257 |
| 4.10 | Resonance in A.C. Circuits..... | 258 |
| | 4.10.1 Frequency Variation | 258 |
| | 4.10.2 Series Resonance | 258 |
| | 4.10.3 Series Resonance Frequency | 260 |
| | 4.10.4 Effects of Series Resonance | 264 |
| | 4.10.5 Selectivity & Bandwidth | 266 |
| | 4.10.6 Effect of Resistance in Series Resonance | 271 |
| | 4.10.7 Parallel Resonance..... | 273 |
| | 4.10.8 Parallel Resonant Frequency | 274 |
| | 4.10.9 Effects of Parallel Resonance | 276 |
| | 4.10.10 Quality Factor of a Parallel Resonant Circuit | 277 |
| | 4.10.11 Comparison of Series and Parallel Resonant Circuits..... | 280 |
| 4.11 | Single Phase Circuits with Variable Elements- Current Locus Diagrams | 283 |
| | 4.11.1 Series RL And RC Circuits with Variable R & Constant Reactance | 284 |
| | 4.11.1.1 RL Circuit with Variable Resistance | 285 |
| | 4.11.1.2 RC Circuit with Variable Resistance | 287 |
| | 4.11.2 Locus of Voltage | 290 |
| | 4.11.2.1 RL Circuit with Variable Resistance..... | 290 |
| | 4.11.2.2 RC Circuit with Variable Resistance | 291 |
| | 4.11.2.3 Series RL and RC Circuits with Variable Reactance & Constant R | 291 |
| | 4.11.2.4 RL Circuit with Variable Reactance | 292 |
| | 4.11.2.5 RC Circuit with Variable Reactance..... | 295 |

| | |
|--|------------|
| 4.11.2.6 Properties of Constant Reactance, Variable Resistance | 298 |
| 4.11.2.7 Maximum Current | 298 |
| 4.11.2.8 Maximum Power Supplied to the Circuit | 298 |
| 4.11.2.9 Power Factor at Maximum Power Condition | 299 |
| 4.11.3 Properties of Constant Resistance, Variable Reactance | 300 |
| 4.11.3.1 Maximum Current | 300 |
| 4.11.3.2 Maximum Power Supplied to the Circuit | 300 |
| 4.11.3.3 Power Factor at Maximum Power Condition | 300 |
| 4.11.3.4 Points to be Considered in Locus Diagrams | 300 |
| Comprehension - 4 | 305 |
| Exercise - 4 | 309 |

CHAPTER 5

NETWORK THEOREMS

| | |
|---|------------|
| 5.1 D.C. Network Theorems | 315 |
| 5.1.1 Introduction to Network Theorems | 315 |
| 5.1.2 Theorems in A.C. Circuits | 316 |
| 5.2 Network Classification | 316 |
| 5.2.1 Linear Networks | 316 |
| 5.2.2 Passive Networks | 316 |
| 5.2.3 Lumped Networks | 317 |
| 5.2.4 Bilateral Networks | 318 |
| 5.2.5 Time Invariant Networks | 318 |
| 5.2.6 Reciprocity | 318 |
| 5.3 Superposition Theorem for D.C. Excitation | 318 |
| 5.4 Thevenin's Theorem for D.C. Excitation | 323 |
| 5.5 NORTON's Theorem for D.C. Excitation | 333 |
| 5.6 Maximum Power Transfer Theorem for D.C. Excitation | 337 |
| 5.7 Superposition Theorem for A.C. Excitation | 341 |
| 5.8 Thevenin's Theorem for A.C. Excitation | 344 |

| | | |
|------|--|-----|
| 5.9 | Norton's Theorem for A.C. Excitation | 346 |
| 5.10 | Maximum Power Transfer Theorem for A.C. Excitation | 349 |
| 5.11 | Reciprocity Theorem for A.C and D.C Excitations | 353 |
| 5.12 | Tellegen's Theorem for D.C and A.C Excitations | 357 |
| 5.13 | Millman's Theorem for A.C and D.C Excitations | 360 |
| 5.14 | Compensation Theorem for A.C. and D.C. Excitations | 362 |
| | Comprehension - 5 | 365 |
| | Exercise - 5 | 367 |

CHAPTER 6

SEMICONDUCTOR DIODES, RECTIFIERS AND FILTERS

| | | |
|-----|--|-----|
| 6.1 | Introduction | 373 |
| | 6.1.1 Theory of p-n Junction | 373 |
| 6.2 | p-n junction as a Diode | 375 |
| | 6.2.1 Reverse Bias | 375 |
| | 6.2.2 Forward Bias | 376 |
| | 6.2.3 Ohmic Contact | 376 |
| | 6.2.4 Forward Current | 377 |
| 6.3 | Energy Band Diagram | 377 |
| | 6.3.1 The Current Components in a p-n Junction Diode | 381 |
| 6.4 | Diode Equation | 382 |
| 6.5 | Volt-Ampere Characteristics | 385 |
| | 6.5.1 Cut in Voltage V_γ | 386 |
| 6.6 | Temperature Dependence | 386 |
| | 6.6.1 Application of p-n Junction Diode | 388 |
| 6.7 | Ideal vs Practical Diode | 388 |
| 6.8 | Static and Dynamic Resistances | 390 |
| 6.9 | Equivalent Circuits | 391 |

| | |
|---|------------|
| 6.10 Diffusion Capacitance | 392 |
| 6.10.1 Derivation for CD | 393 |
| 6.11 Transition Capacitance | 395 |
| 6.11.1 Alloy Junction | 396 |
| RECTIFIERS AND FILTERS | |
| 6.12 p-n Junction as a Rectifier | 399 |
| 6.13 Half Wave Rectifier | 399 |
| 6.14 Reading of A.C Ammeter | 401 |
| 6.15 Peak Inverse Voltage | 402 |
| 6.15.1 Regulation | 403 |
| 6.15.2 Expression for V_{DC} the Output DC Voltage | 403 |
| 6.15.3 Power Supply Specifications | 405 |
| 6.16 Ripple Factor..... | 405 |
| 6.17 Half Wave Rectifier Circuit (HWR) | 407 |
| 6.17.1 Ratio of Rectification (η): $\frac{P_{DC}}{P_{AC}}$ | 408 |
| 6.17.2 Ratio of Rectification for Half Wave Rectifier | 408 |
| 6.17.3 Disadvantages of Half Wave Rectifier | 409 |
| 6.18 Full Wave Rectifier (FWR) | 410 |
| 6.18.1 Ripple Factor | 411 |
| 6.18.2 Regulation for FWR | 412 |
| 6.18.3 Ratio of Rectifications | 412 |
| 6.18.4 Peak Inverse Voltage (PIV) for Full Wave Rectifier | 413 |
| 6.18.5 D.C. Saturation | 413 |
| 6.19 Bridge Rectifiers | 413 |
| 6.19.1 Advantages of Bridge Rectifier | 414 |
| 6.19.2 Disadvantages | 414 |

| | | |
|-------------|---|------------|
| 6.20 | The Harmonic Components in Rectifier Circuit | 415 |
| 6.21 | Filters | 416 |
| 6.22 | Inductor Filter Circuits | 416 |
| | 6.22.1 Ripple Factor | 418 |
| | 6.22.2 Regulation | 418 |
| | 6.22.3 Voltage Doubler Circuit | 422 |
| 6.23 | Capacitor Filter | 423 |
| | 6.23.1 Ripple Factor for C Filter | 425 |
| 6.24 | LC Filter | 427 |
| | 6.24.1 Ripple Factor in LC Filter | 427 |
| | 6.24.2 Bleeder Resistance | 428 |
| | 6.24.3 Swinging Choke | 429 |
| 6.25 | CLC or π Filter | 432 |
| 6.26 | π Section Filter with a Resistor Replacing the Inductor | 433 |
| 6.27 | Filter Circuits | 434 |
| | 6.27.1 Expression for Ripple Factor for π Filter | 434 |
| | 6.27.2 Half Wave Voltage Doubler Circuit | 435 |
| | 6.27.3 Full Wave Voltage Doubler | 436 |
| | 6.27.4 Voltage Tripler | 437 |
| | 6.27.5 Voltage Quadrupler | 437 |
| | 6.27.6 Peak to Peak Detector | 437 |
| | 6.27.7 Multiple LC Filters | 442 |
| | 6.27.8 Specification of a Power Supply | 443 |
| | Summary | 448 |
| | Objective Type Questions | 449 |
| | Essay Type Questions | 450 |
| | Multiple Choice Questions | 451 |
| | Conceptual Questions (Interview Questions) | 452 |

CHAPTER 7

BJT AND TRANSISTOR CONFIGURATIONS

| | | |
|-------------|--|------------|
| 7.1 | Transistor Construction | 455 |
| 7.1.1 | Grown Type | 455 |
| 7.1.2 | Alloy Type | 455 |
| 7.1.3 | Manufacture of Grown Junction Transistor | 455 |
| 7.1.4 | Diffusion Type | 456 |
| 7.1.5 | Epitaxial Type | 457 |
| 7.2 | Bipolar Junction Transistor (BJT) | 457 |
| 7.2.1 | Principle of Operation | 458 |
| 7.3 | Transistor Current Components | 459 |
| 7.4 | Amplifying Action | 461 |
| 7.5 | Types of Transistor Configuration | 462 |
| 7.6 | Common Emitter Configuration (C.E) | 462 |
| 7.6.1 | Input Characteristics | 462 |
| 7.6.2 | Output Characteristics | 463 |
| 7.6.2.1 | Test for Saturation | 464 |
| 7.6.2.2 | Common Emitter Cut Off Region | 464 |
| 7.7 | Reverse Collector Saturation Current I_{CBO} | 466 |
| 7.7.1 | Saturation Resistance | 466 |
| 7.7.2 | DC Current Gain b_{dc} | 466 |
| 7.7.3 | Test for Saturation | 467 |
| 7.8 | Common Base Configuration (C.B) | 467 |
| 7.8.1 | Early Effect | 469 |
| 7.9 | The Common Collector Configuration (C.C) | 469 |
| 7.9.1 | Parameters | 471 |
| 7.10 | Analytical Expressions for Transistor Characteristics | 472 |
| 7.11 | Ebers - Moll Model of a Transistor | 473 |

| | |
|---|------------|
| 7.12 Transistor in Cut-Off Region under C.E. Configuration | 473 |
| 7.12.1 Short Circuit Base | 474 |
| 7.13 Transistor Biasing | 482 |
| 7.13.1 Operating Point | 482 |
| 7.13.2 Static Load Line or DC Load Line | 484 |
| 7.14 Biasing Circuits | 485 |
| 7.15 Need for Biasing/Importance of Biasing | 485 |
| 7.16 Fixed Bias Circuit or (Base Bias Circuit) | 485 |
| 7.17 Bias Stability | 486 |
| 7.18 Thermal Instability | 487 |
| 7.19 Stability Factor 'S' | 487 |
| 7.20 Self Bias or Emitter Bias Circuit | 489 |
| 7.21 Stabilization Against Variation in i_{co} and v_{be} and β | 490 |
| 7.22 Stability Factor S' | 491 |
| 7.23 Stability Factor S'' | 494 |
| 7.24 Practical Considerations | 495 |
| 7.25 Bias Compensation | 495 |
| 7.26 Collector to Base Bias | 498 |
| 7.27 Diode Compensation for V_{BE} | 501 |
| 7.28 Diode Compensation for I_{CO} | 502 |
| 7.29 Biasing Circuits for Linear Integrated Circuits | 503 |
| 7.30 BJT Modeling using h-parameters | 504 |
| 7.31 Simplified Transistor Hybrid Model | 504 |
| 7.32 Determination of h-Parameters from Transistor Characteristics | 506 |
| 7.33 Measurement of h-Parameters | 508 |
| 7.34 Analysis of CE, CB and CC Configurations using h-parameters | 509 |
| 7.34.1 Input Impedance (Z_i) | 511 |
| 7.34.2 Voltage Gain (A_V) | 512 |

| | | |
|-------------|---|------------|
| 7.34.3 | Output Admittance (Y_o) | 512 |
| 7.34.4 | Voltage Gain (A_{v_s}) considering Source Resistance R_s | 513 |
| 7.34.5 | Current Gain (A_{i_s}) Considering Source Resistance | 513 |
| 7.34.6 | Power Gain (A_p) | 514 |
| 7.35 | Comparison of CE, CB, CC Configurations using h-parameters | 515 |
| | Summary | 518 |
| | Objective Type Questions | 519 |
| | Essay Type Questions | 520 |
| | Multiple Choice Questions | 521 |
| | Conceptual Questions (Interview Questions) | 523 |

CHAPTER 8

JFET AND SPECIAL PURPOSE DEVICES

| | | |
|-------------|--|------------|
| 8.1 | Junction Field Effect Transistor (JFET) | 525 |
| | 8.1.1 JFET | 526 |
| 8.2 | Construction | 526 |
| 8.3 | Principle Operation | 527 |
| 8.4 | Symbol | 531 |
| | 8.4.1 n-channel JFET | 531 |
| | 8.4.2 p-channel JFET | 531 |
| 8.5 | Pinch off Region | 532 |
| 8.6 | JFET Volt-Ampere Characteristics | 534 |
| | 8.6.1 Expression for V_{GS} | 535 |
| | 8.6.2 The ON Resistance r_{ds} (ON) | 536 |
| 8.7 | Transfer Characteristics of FET | 536 |
| 8.8 | Comparison between BJT and FET | 537 |
| 8.9 | Small Signal Model | 537 |
| 8.10 | FET Biasing for Zero Drift Current | 538 |

SPECIAL PURPOSE DEVICES

| | |
|---|------------|
| 8.11 Break Down Mechanisms in Semiconductor Diodes | 542 |
| 8.11.1 Avalanche Breakdown | 542 |
| 8.11.2 Zener Breakdown | 542 |
| 8.11.3 Thermal Breakdown | 542 |
| 8.12 Use of Zener Diode as Regulator | 543 |
| 8.12.1 Zener Voltage Regulator Circuit | 544 |
| 8.12.2 Shunt Regulator | 545 |
| 8.13 The Tunnel Diode | 548 |
| 8.13.1 Principle of Operation | 548 |
| 8.13.2 Characteristics of a Tunnel Diode | 549 |
| 8.14 Varactor Diode | 551 |
| 8.15 Silicon Controlled Rectifier | 553 |
| 8.15.1 Annular Type of Construction of SCR | 553 |
| 8.15.2 Static Characteristics | 554 |
| 8.15.3 Analysis of the Operation of SCR | 555 |
| 8.15.4 Anode to Cathode Voltage - Current Characteristics | 558 |
| 8.16 DIAC | 559 |
| 8.16.1 Diagram for Basic Construction and Symbol | 559 |
| 8.16.2 Characteristics of DIAC | 559 |
| 8.17 TRIAC | 560 |
| 8.17.1 Construction | 561 |
| 8.17.2 Characteristics | 561 |
| Summary | 562 |
| Objective Type Questions | 563 |
| Essay Type Questions | 563 |
| Multiple Choice Questions | 563 |
| Conceptual Questions (Interview Questions) | 565 |