## Contents

Acknowledgements(viii)	)
LIMIT TEST	
Experiment 1	
To perform the limit test for chlorides in the given sample of Sodium Chloride (NaCl)	3
Experiment 2	
To perform the limit test for sulphate in the given sample of Potassium Sulphate (K <sub>2</sub> SO <sub>4</sub> )	5
Experiment 3	
To perform the limit test for iron in the given sample of Sodium Chloride (NaCl)	)
Experiment 4	
To perform the limit test for arsenic in the given sample of Magnesium Sulphate (MgSO <sub>4</sub> )	2
Experiment 5	
To Prepare and standardize 250 ml of approximately 0.1N Sodium Hydroxide (NaOH)16	5
Experiment 6	
To Prepare and standardize 250 ml of approximately 0.1N Sulphuric acid (H <sub>2</sub> SO <sub>4</sub> )21	1
Experiment 7	
To Prepare and standardize 250 ml of approximately 0.1M Sodium thiosulphate (Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> )	5

<b>(x)</b>	Contents

Experiment 8	
	tandardize 250 ml of approximately permanganate (KMNO <sub>4</sub> )
Experiment 9	
	tandardize 250 ml of approximately monium Sulphate (NH <sub>4</sub> Ce (SO <sub>4</sub> ) <sub>4</sub> ) 2H <sub>2</sub> O 33
Experiment 10	
	e % age purity of given onium Chloride
<b>Experiment 11</b>	
	ercentage purity of given sample of e (FeSO <sub>4</sub> .7H <sub>2</sub> O)41
<b>Experiment 12</b>	
	e percentage purity of given sample of (CuSO <sub>4</sub> .5H <sub>2</sub> O)45
<b>Experiment 13</b>	
	% age purity of given m Gluconate50
<b>Experiment 14</b>	
	2% age purity of given sample of ide (H <sub>2</sub> O <sub>2</sub> )54
<b>Experiment 15</b>	
	e% age purity of given m Benzoate
<b>Experiment 16</b>	
	e% age purity of given n chloride62

## **ELECTRO ANALYTICAL METHODS**

Experiment 17	
To determine the normality of strong acid (H <sub>2</sub> SO <sub>4</sub> ) in the given unknown solution by titrating against strong base (NaOH) using conductometry	69
Experiment 18	
To determine the normality of strong acid (H <sub>2</sub> SO <sub>4</sub> ) and weak acid (CH <sub>3</sub> COOH) in the given unknown solution by titrating against strong base (NaOH) using conductometry.	73
Experiment 19	
To determine the normality of strong acid (H <sub>2</sub> SO <sub>4</sub> ) in the given unknown solution by titrating against strong base (NaOH) potentiometrically	77
Viva-voce Ouestions	81